(3) ANDERSON (W.) et THOMAS (J.) (1962). — A simple colorimetric reaction for determination gamma-globulins content in antigen-antibody precipitation, *BBA*, **58**, 558-562.
(4) ASHERSON (G.) et STONE (S.) (1965). — Specific selective inhibition of 24 hours skin reactions in the guinea-pig, *Immunol.*, **9**, 205-212.
(5) ASHERSON (G.) (1968). — Autoantibody production as a breakdown of immunetolerance, p. 68-84, in : Regulation of the antibody reponse. 1 vol., Ed. Cinader. *Ch. Thomas*, Springfield.
(6) BARKULIS (S.), BOLTRALIK (J.), HANKIN (H.) et HEYMANN (H.) (1967). — Biosynthesis of Streptococcal Cell Walls : N-Acetyl-D-Muramic Acid, *J. Bacter*, **94**, 963-965.
(7) BARNES (M.) (1964). — The isolation and characterization of a sialomucoprotein from human thoracic aorta. In : Structure and Function of connective and skeletal tissues, 145-151. 1 vol., Ed. Karger, Bâle et New York.
(8) BENACERAF (B.) (1968). — Mechanism of Immunisation. In : Texbook in Immunopathology, 3-11, Ed. Moscher P., *Grune et Straton*, New York et Londres.
(9) BERGMANN (I), LOXLEY (R.) (1961). — Two improved and simplified methods for the spectrophotometric determination of hydroxyproline. *Anal. Chem.*, **35**, 1961-1965.
(10) BERENSON et FISKIN (A.) (1962). — Isolation of a glycoprotein from bovine aorta. *Arch. Biochem. Biophys.*, **97**, 18-26.
(11) BOULANGER (P.), JAYLE (M.) et ROCHE (J.) (1953). — Biochimie du tissu conjonctif, *Exposés annuels de biochimie médicale*, **24**, 29-64.
(12) Mc CARTY (M.) (1957). — Variation in the Group-Specific carbohydrate of Group A *Streptococci* II. Studies on the Chemical Basis for Serological Specificity of the Carbohydrates. *J. Exp. Med.*, **104**, 629-643.
(13) Mc CARTY (M.) (1960). — Chemical basis for Serological Specificity of Cell-Wall Carbohydrates of Group A *Streptococci*, *Bull. Soc. de Chim. biol.*, **42**, 1661-1667.
(13 *bis*) Mc CARTY (M.) (1964). — The streptococcal Cell-Wall. In : The *Streptococcus* A symposium at the N. Y. University, Ed. J. Uhr, 3-25, 1 vol., Ed. *Williams-Wilkins Co.*, Baltimore.
(14) CAVELTI (P.) (1945). — Autoantibodies in rheumatic fever, *Proc. Soc. Exp. Biol. and Med.*, **60**. 396-399.
(15) CAVELTI (P.) et CAVELTI (E.) (1945). — Studies on the pathogenesis of glomerulonephritis, *A. M. A. Arch. Path.*, **40**, 158-169.
(16) CINADER (B.) (1968). — Immunogenicity and tolerance to autologous macromolecules. In : Regulation of the antibody reponse, 43-54. 1 vol., Ed. Cinader B. — *Charles Thomas*, Springfield.
(17) CHASE (R.) et RAPPAPORT (F.) (1965). — The Bacterial inudction of homograft sensitivity I. Effects of sensitization with Group A *Streptococci*, *J. Exp. Med.*, **122**, 721-744.
(18) COHEN (S.) et MARTIN (J.) (1965). — Disorders of Immunlglobulin production in : Immunological Diseases, p. 524-554. 1 vol., Ed. *Sauler-Little Brown* C. Londres, 1965.
(19) COONS (A.), LEDUC (E.) et KAPLAN (M.) (1951). — Localization of antigen in tissue cells, IV. The fate of injected foreing proteins in the mouse, *J. Exper. Med.*, **93**, 173-188.
(20) COONS (A.) (1958). — Fluorescent antibody methods. In : Genera Cytochemical Methods. Ed. J.-F. Damielli. *Academie Press.*, New York.
(21) CROWLE (A.) (1961). — Immunodiffusion, 181-300. 1 vol., Ed. *Academic Press*, New York.
(22) CURTIS (A.) et CHASE (M.) (1967). — Methods in Immunology and immunochemistry. **1**, 307-387. 1 vol., Ed. Academic Press, New York.
(23) DISCHE (Z.) (1946). — A new specific color reaction of hexurenic acids. *J. Biol. Chem.*, **167**, 189-194.
(24) DISCHE (Z) et SHETTLES (L.) (1948). — A specific color reaction of methyl-pentosen, *J. Biol. Chem.*, **135**, 595-603.
(25) DISCHE (Z.), DANILCZENKO et ZELMENIS (1968). — Neutral heteropolysaccharides in connective tissue. In : Ciba Found. Symposium on thz Chemistry and Biology of Mucopolysaccharides, 116-139. Ed. Wolstenholme and M. O'Connor. *Little Brown and C°*, Boston.
(26) DISCHE (Z.) (1962). — In : Methods in carbohydrate chemistry, 488. 1 vol., Whistler, Wolfrom. Ed. *Academic Press*, New York.
(27) DISCHE (Z.) (1963). — Reciprocal relation between Fucose and sialic Acid in Mammalian Glycoproteins. *Annal. N. Y. Acad. Sc.*, **102**, 259-270.
(28) DISCHE (Z.) et ROBERT (L.) (1963). — Analysis of a sulfated sialofucoglucosaminogalactomannosidoglycan from corneal stroma, *Bioch. Bioph. Res. Communic.*, **10**, 209-215.
(29) DZIEWIATKOWSKI (C.), TOURTELOTTE et CAMPO (R.) (1968). — Degradation of protein-polysaccharide (chondromucoprotein) by an enzyme extracted from cartilage, in : The chemical physiology of mucopolysaccharides, 68-81. 1 vol., Ed. Giuliano Quintarelli, *Churchill Ltd.*, Londres.
(30) DUDLING (B.) et AYOUB (E.) (1968). — Persistence of *Streptococci* Group A antibody in patients with rheumatic valvular disease, *J. Exp. Med.*, **128**, 1081-1096.
(31) EASTOE (J.) and COURTS (A.) (1963). — Practical analytical methods for connective tissue proteins. 1 vol., Ed. *F. N. Spon.*, Londres.
(32) ELSON (T.) et MORGAN (W.) (1933). — A colorimetric method for the determination of glucosamine and chondrosamine. *Biochem. J.*, **27**, 1824-1830.

(33) ELLIOTT (S.) (1945). A proteolytic Enzyme produced by Group A *Streptococci* with special reference to its effect on the Type-Specific M Antigen. *J. Exp. Med.*, **81**, 573-592.
(34) EYLAR (E.) et JEANLOZ (R.) (1962). — Oligosaccharides from the acid glycoprotein of human plasma. *J. Biol. Chem.*, **237**, 622-628.
(35) FITCH (S.), HARKNESS (M.) et HARKNESS (L.) (1955). — Extraction of collagen from tissues. *Nature*, **176**, 163-165.
(36) FITTON (M.) (1964). — Connective tissue cells. In : the Cell, 387-520, 1 vol., Ed. J. Brachet and Mirsky.
(37) FOX (E.) (1967). — Purification and Properties of Group A *Streptococci* M Proteins. In : Current research on Group A *Streptococci*, 68-73. 1 vol., Ed. R. Caravano, *Excepte Medica Foundation*, Amsterdam.
(37 *bis*) FELTON (L.) (1949). — The significance of antigens in animal tissue. *J. Immunol.*, **61**, 107-120.
(38) FOX (E.) and GROSSMAN (B.) (1969). — Antigenicity of the M proteins of Group A Hemolytic *Streptococci*-V. The absence of Antigenic Determinants common to Mammalian Heart Muscle, *J. Immunol.*, **102**, 970-974.
(39) FREIMER (E.) et ZABRISKIE (J.) (1958). — An immunological relationship between the cell (protoplast) membrane of the Group A *Streptococcus* and the sarcolema of cardiac muscle. 1 vol. In : Current research on Group A streptococcus, p. 145-159, Ed. R. Caravano, *Exeerpta Medica Foundation*, Amsterdam.
(40) FULLER (A.) (1938). — The Formamide method from the Extraction of Polysaccharides from Haemolytic *Streptococci*, *Brit. J. Exp. path.*, **19**, 130-139.
(41) GOLDBERG (B.) et GREEM (H.) (1964). — An analysis of collagen secretion by established mouse fibroblast lines. *J. Cell. Biol.*, **22**, 227-258.
(42) GOLDMAN (M.) (1968). — Fluorescent Antibody methods, p. 97-115, 1 vol., *Academic Press*, New York.
(43) GOLSDTEIN (I.) et CARAVANO (R.) (1967). — Determination of Anti-Group A *Streptococci* Polysaccharide antibody on human Sera. *Proc. Exp. Biol. and Med.*, **124**, 1209-1212.
(44) GOLDSTEIN (I.), HALPERN (B.) et ROBERT (L.) (1967). Immunological relationship between *Streptococcus* A polysaccharide and the structural glycoprotein of heart valve. *Nature*, **213**, 44-47.
(45) GOLDSTEIN (I.) et CARAVANO (R.) (1968). — Preparation of an antiserum strictly specific against Group A polysaccharide. In : Current research on Group A *Streptococci*, 117-120, Ed. R. Caravano. *Excerpta Medica Foundation*, Amsterdam.
(46) GOLDSTEIN (I.), REBEYROTTE (P.), PARLEBAS (J.) et HALPERN (B.) (1968). — Isolation from Heart valves of glycopeptides which share Immunological Properties with *Streptococcus haemolyticus* Group A polysaccharide. *Nature*, **219**, 860-865.
(47) GOLDSTEIN (I.), REBEYROTTE (P.), PARLEBAS (J.) et HALPERN (B.) (1968). — Isolement par digestion enzymatique, à partir de valvules cardiaques de Bœuf, d'un glycopeptide ayant une parenté immunologique avec le polysaccharide du streptocoque du groupe A. *C. R. Acad. Sc.*, **266**, 1091-1094.
(48) GOLDSTEIN (I.), PARLEBAS (J.), HOLLMANN (K.) et HALPERN (B.) (1969). — Rôle des complexes ioniques dans la fibrillogénèse du collagène. *C. R. Acad. Sc.*, **268**, 2446-2448.
(49) GOLDSTEIN (I.), PARLEBAS (J.), HALPERN (B.) (1971). — Fixation des anticorps marqués avec la ferritine sur des fibres de collagène. (Sous presse.)
(50) GOLDSTEIN (I.), PARLEBAS (J.) et CARAVANO (R.) (1972). — Préparation des immunosérums antimucopeptide streptococciques, à l'aide d'un antigène artificiel mucopeptide purifié. SAB. (Sous presse.) (*J. Immunol.* sous presse.)
(51) GORNALL (A.), BARDOWILL (C.) et DAVID (M.) (1949). — Determination of serum proteins by means of the Biuret reaction. *J. Biol. Chem.*, **177**, 751-765.
(52) GOTTSCHALK (A.) (1960). — The Chemistry and Biology of sialic Acid and related substances. 1 vol., Ed. *Cambridge University Press.*
(53) GOTTSCHALK (A.) (1966). — Glycoproteins : their composition, structure and function. BBA Library, **5**, Ed. *Elvesier Pub. C°*, Amsterdam.
(54) GRABAR (P.) et BURTIN (P.) (1960). — Analyse immunoélectrophorétique. 1 vol., Ed. *Masson et Cie*, éd., Paris.
(55) GHUYSEN (J.) (1966). — Enzyme that degrade bacterial cell-walls. Methods in Enzymology, p. 685-699. Ed. Colowick S. P., 1 vol., *Academic Press*, New York.
(56) GHUYSEN (J.) (1968). — Use of Bacteriolytic Enzymes in Determination of Wall Structure and their Role in Cell Metabolism, *Bacter. Rev.*, **32**, 425-464.
(57) HALBERT (S.) (1958). — The use of precipitation analysis in agar for the study of human streptococcal infection, *J. Exp. Med.*, **108**, 135-142.
(58) HALBERT (S.) (1968). — Pathogenic significance of Streptococcal extracellular products. In : Current research on Group A *Streptococcus*, p. 173-188, Ed. R. Caravano. *Excerpta Medica Foundation*, Amsterdam.
(59) HALPERN (B.), JACOB (M.), BINAGHI (T.), PARLEBAS (J.) (1961). — Mise en évidence et dosage des anticorps allergiques par l'hémagglutination passive in-vitro dans les syndromes allergiques humains et expérimentaux, *Rev. franç. allergie*, **1**, 201-214.

(60) HALPERN (B.) et GOLDSTEIN (I.) (1964). — Utilisation du polyoside streptococcique marqué au ^{14}C pour la détermination de faibles quantités d'anticorps spécifiques dans les sérums expérimentaux et humains. *Rev. Immunol.*, **28**, 193-204.

(61) HALPERN (B.), GOLDSTEIN (I.), et ROBERT (L.) (1967). — Nouvelles données sur la pathogénie immunologique du rhumatisme articulaire aigu. *Presse Med.*, **75**, 209-215.

(62) HALPERN (B.), ZWEIBAUMA, ORIOL (P.) et MORARD (J.) (1967). — Experimental immune ulcerativ colitis. 5e Symp. Intern. : Mecanisms of inflamation induced by immune reactions. 1 vol., Ed. Miescher P. *Schwabe E. Pub.*, Bâle.

(63) HALPERN (B.) (1969). — Le problème du mimétisme dans les relations hôte-parasite. *Louis Rapkin Memorial Lecture*, London (conf.).

(63 *bis*) HALPERN (B.), PARLEBAS (J.), GOLDSTEIN (I.) (1971). — Isolement à partir du cytoplasme du streptocoque du groupe A d'une glycoprotéine qui présente une parenté immunologique avec des glycoprotéines de valvules cardiaques. *C. R. Acad. Sc.*, **273**, 995-998.

(64) HAMMERLING (U.). — Immunchemishe Untersuchungen zur Uberführhrung von Backteriellen Polysaccharid-Haptenen in Vollantigene. *Inaugural Dissertation*, Université de Fribourg in Brisgau, 1965.

(65) HANSON (L.) (1959). — Immunological Analysis of Streptococcal Antigens and Human Sera by means of Diffusion-in-Gel-Methods. *Int. Arch. Allergy*, **14**, 279-291.

(66) HANSON (L.) et HOLM (S.) (1961). — Studies on the Antigenic Factors in a Group A streptococcal culture filtrate. *Acta Path. Microbi. Scand.*, **52**, 59-70.

(67) HANSON (L.) et HOLM (S.) (1961). — Precipitation antibodies in Human sera from different age groups determined by streptococcal antigens with diffusion-in-Gel methods. *Acta Paediatr.*, **50**, 7-16.

(68) HAVEZ (R.), DEMINATTI (M.), ROUSSEL (P.), DEGAND (P.), RANDOUX (A.) et BISERTE (G.) (1967). — Étude des glycoprotéines carboxyliques et sulfatées de la sécrétion bronchique humaine. *Clin. Chim. Acta.*, **17**, 463-477.

(69) HAVEZ (R.), ROUSSEL (P.), DEGAND (P.) et BISERTE (G.) (1967). — Étude des structures fibrillaires de la sécrétion bronchique humaine. *Clin. Chim. Acta.*, **17**, 281-295.

(70) HEIDELBERGER (M.) and KJELDAHL (1935). — A quantitative theory of the precipiting reaction. *J. Exper. Med.*, **62**, 467-483.

(71) HERRING (G.) et KENT (P.) (1963). — Some studies on mucosubstances of bovine cortical bone. *Biochem. J.*, **89**, 405-414.

(72) HEYMAN (H.) MANNIELLO (J.) et BARKULIS (S.) (1963). — Structure of Streptococcal Cell-Walls. I. Methylation Study of C-Polysaccharide. *J. Biol. Chem.*, **238**, 502-509.

(73) HEYMANN (H.), MANNIELLO (J.), ZELEZNICK (L.) et BARKULIS (S.) (1964). — Structure of Streptococcal Cell-Walls. II. Group A biose and Group A triose from C-Polysaccharide. *J. Biol. Chem.*, **239**, 1656-1663.

(74) HEYMANN (H.), MANNIELLO (J.) et BARKULIS (S.) (1964). — Structure of Streptococcal Cell-Walls. III. Characterization of an alaninecontaining glucosaminylmuramic acid derivative liberated by lysozyme from streptococcal glycopeptide. *J. Biol. Chem.*, **239**, 2981-2985.

(75) HEYMANN (H.), MANNIELLO (J.) et BARKULIS (S.) (1967). — Structure of Streptococcal Cell-Walls. V. Phosphate Esters in the Walls of Group A *Streptococcus pyogenes*. *Biochem. and Biophys. Res. Comm.*, **26**, 486-491.

(76) KABAT (E.) et MEYER (M.) (1961). — Nitrogen Determination dans Experimental Immunochemistry (seconde édition), p. 476-493. 1 vol. Ed. *C. Thomas*, États-Unis.

(77) KAPLAN (M.) et DOLLENBACH (F.) (1961). — Immunobiological studies of heart tissue. *J. Exp. Med.*, **113**, 1-17.

(78) KAPLAN (M.) et CRAIG (J.) (1963). — Immunologic studies of heart tissue VI. Cardiac lesions in rabbits induced by immunization with heterologous heart. *J. Immunol.*, **90**, 725-739.

(79) KAPLAN (M.) et SVEC (K.) (1964). — Immunologic relation of *Streptococcus* and tissue antigens. *J. Exp. Med.*, **119**, 651-663.

(80) KAPLAN (M.) (1965). — Autoantibodies to heart in rheumatic fever. The induction of autoimmunity to heart by streptococcal antigene cross-reactive with heart. *Ann. N. Y. Ac. Sc.*, **124**, 904-911.

(81) KAPLAN (M.) (1968). — Autoimmunity to Heart. In : Textbook of Immunopathology, p. 645-652, Ed. par Miescher P. *Grune et Straton*, New York et Londres.

(82) KARAKAWA (W.), LACKLAND (H.) et KRAUSE (R.) (1966). — The production of streptococcal group-specific antibodies in rabbits. I. The identification of Group A and A-variant agglutinins in Group A antisera. II. A fluorometric method for identification of Group A and A-Variant agglutinins in Group A antisera. *J. Immunol.*, **96**, 204-216.

(83) KARAKAWA (W.), LACKLAND (H.) et KRAUSE (R.) (1966). — An immunochemical Analysis of Bacterial Mucopeptides. *J. Immunol.*, **97**, 797-804.

(84) KARAKAWA (W.) et KRAUSE (R.) (1966). — Studies on the Immunochemistry of Streptococcal Mucopeptide, *J. Exp. Med.*, **124**, 155-171.

(85) KARAKAWA (W.), LACKLAND (H.) et KRAUSE (R.) (1967). — Antigenic properties of the Hexosamine Polymer of Streptococcal Mucopeptide. *J. of Immunol.*, **99**, 1178-1182.

(86) KARAKAWA (W.), BRAUN (D.), LACKLAND (H.) et KRAUSE (R.) (1968). — Immunochemical studies on the Cross-Reactivity between Streptococcal and Staphylococcal Mucopeptide. *J. Exper. Med.*, **128**, 325-340.

(86 *bis*) KENT (P.) (1967). — Structure and function of glycoproteins in : Essays in Biochem., **3**, 105-152. Ed. *Academic Press*, New York.
(87) KIDD (J.) et FRIEDEWOLD (W.) (1942). — A natural antibody that reacts in vitro with a sedimentale constituant of normal tissue cells. *J. Exp. Med.*, **76**, 557-569.
(88) KRAUSE (R.) and Mc CARTY (M.) (1961). — Studies on the chemical structure of the streptococcal Cell-Wall. *J. Exp. Med.*, **114**, 127-140.
(89) KRAUSE (R.) et Mc CARTY (M.) (1962). — Studies on the Chemical Structure of the Streptococcal Cell-Wall. *J. Exp. Med.*, **115**, 49-62.
(90) KRAUSE (R.) (1963). — Symposium on Relationship of Structure of Micro-organisms to their immunological Properties. *Bacter. Rev.*, **27**, 369-380.
(91) KRAUSE (R.) et KARAKAWA (W.) (1968). — Immunological studies on streptococcal mucopeptide in : Current research. Ed. R. Caravano. 1 vol., *Excerpta Medica Foundation*, Amsterdam.
(92) KRAUSE (R.) (1968). — Streptococcal infections and rheumatic fever in : Textbook of Immunopathology, p. 311-322. 1 vol., Ed. Peter A. *Miescher Grune Straton*, New York et Londres.
(93) LANCEFIELD (R.) (1933). — A serological differentiation of human and other groups of hemolytic streptococci. *J. Exp. Med.*, **57**, 571-595.
(94) LANCEFIELD (R.) et PERLMANN (G.) (1952). — Preparation and properties of type-specific M antigen isolated from group A *Streptococcus. J. of Exp. Med.*, **96**, 71-89.
(95) LOEWI (G.) et MUIR (H.) (1965). — The antigenicity of chondromucoprotein, *Immunol.*, **9**, 119.
(96) LOWRY (O.), ROSEBROUG (H.), FAHR (N.) et RANDALL (R.) (1951). — Protein measurement with the Folin phenol reagent *.J. Biol. Chem.*, **193**, 265-275.
(97) MATHEWS (M.) (1965). — The interaction of collagen and acid mucopolysaccharides. A model for connective tissue, *Biochem. J.*, **96**, 710-716.
(98) MATHEWS (M.) (1967). — Biophysical aspects of acid mucopolysaccharide relevant to connective tissue structure and function. In the Connective tissue, Ed. Wagner B. M. and Smith D. E., 1 vol., *Williams abd Wilkins C°*, Baltimore.
(99) MAXTED (W.) (1948). — Preparation of streptococcal extract for Lancefield Grouping, *Lancet*, **2**, 255-259.
(100) MEYER (K.), LINKER (A.), DAVIDSON (E.) et WEISMANN (1953. — The mucmpolysaccharides of bovine cornea. *J. Biol. Chem.*, **205**, 611-616.
(101) MEYER (K.) et ANDERSON (B.) (1965). — The chemical specificity of the mucopolysaccharides of the cornea. *Exp. Eye Res.*, **4**, 346-348.
(101) *bis* MONTREUIL (G.) et SPIK (G.) (1964). — Deux causes d'erreurs dans le dosage colorimétrique des oses neutres totaux. *Bull. Soc. Chim. Biol.*, **46**, 731-749.
(102) MOORE (S.) et STEIN (W.) (1954). — A modified ninhydrin reagent for the photometric determination of amino-acids and related compounds. *J. Biochem.*, **211**, 907-926.
(103) MOORE (S.) et STEIN (W.) (1964). — In methods in enzymology. T. **6**, p. 819. Ed. S. Colowick and N. Kaplan, 1 vol., *Academic Press*, New York.
(104) MORAX (V.) et BALLACK (J.) (1914). — Recherches expérimentales sur les réactions anaphylactiques produites par les albuminoïdes du cristallin. *Ann. Inst. Pasteur*, **28**, 625-632.
(105) MOZZICONACCI (P.), GERBEAUX (C.), CARAVANO (R.), GERBEAUX (S.), LABONDE (J.), RAHMAN (S.), RABCYNSKA (F.), ORSSAUD (E.) et VIROLLEAU (P.) (1961). — A study of Group A Hemolytic *Streptococcus* Carriers Among School Children. Part. II. Significance of the Findings. *Acta Paediatr.*, **50**, 33-46.
(106) MOZZICONACCI (P.), GERBEAUX (C.), CARAVANO (R.) ORSSAUD (E.) (1961). — Infection streptococcique et porteurs sains. *La Sem. des Hôp. Annales Pédiatr.*, **37**, 2757-2764.
(107) MOZZICONACCI (P.), GERBEAUX (J.), BACULARD (A.), GERBEAUX (C.), CARAVANO (R.), FOURNEIR (G.), LEMAIRE (J.) et ROTH (C.) (1966). — Studies on the *Streptococcus* Group A Infection. The Carrier State and Latent Infection among Children. *Acta Paediatr. Scandin.*, **55**, 137-147.
(108) MUIR (H.) (1961). — Sulphated polysaccharides of connective tissue. In : Inflammation and Diseases of Connective tissue, p. 14-19. 1 vol., Ed. Mills L. C. and Mayer J. H. *W. B. Saunders C°*, Philadelphie and Londres.
(109) MUIR (H.) (1968). — Protein-polysaccharides. In : The Chemical Physiology of Mucopolysaccharides. Ed. by G. Quintorelli, p. 1-16. 1 vol., *J. A. Churchill*, Londres.
(110) MULLER (R.), EBERHARD (H.), HADDING (U.) et GALCOTT (M.) (1967). — Current problems in Complement Research, p. 179-189. In : Immunopathology, Vth Int. Symp. Ed. Miescher P. et Grabar P., *Schwalbe C°*, Stuttgart.
(111) MUNIER (R.) (1963). — Chromatographie d'échange d'ions. Techniques de Laboratoires, p. 473-564. 1 vol., Ed. *Loiseleur, Masson Cie*, Paris, 1963.
(112) MUNOZ (E.), GHUYSEN (J.), LEYH-BOUILLE (M.), PETIT (J.), HEYMANN (H.), BRICAS (E.), et LEFRANCIER (P.) (1966). — The peptide Subunit : (L-Analyl-D-isoglutaminyl) — L-lysyl-D-alanine in Cell-Wall Peptidoglycans of *Staphylococcus aureus* Stain Copenhagen, *Micrococcus roseus* R-27, and *Streptococcus pyogenes* Group A, Type 14, *Biochem.*, **5**, 3748-3764.
(113) MUNOZ (E.), GHUYSEN et HEYMANN (H.) (1967). — Cell-Walls of Streptococcus pyogenes, Type-14. C. Polysaccharide-Peptidoglycan and G. Polysaccharide-Peptidoglycan Complexes, *Biochem.*, **6**, 3659-3670.
(114) OGSTON (A.) et PHELPS (G.) (1960). — The partition of solutes between buffer solutions and solutions containing hyaluronic acid. *Bioch. J.*, **78**, 827-83

(115) OSTERLAND (G.), MILLER (E.), KARAKAWA (E.), WALTER (W.) et KRAUSE (R.) (1966). — Characteristics of streptococcal group specific antibody isolated from hyperimmune rabbits. *J. Exp. Med.*, **123**, 599-615.

(116) OUCHTERLONY (O) (1958). — Diffusion in gel methods for immunological analysis. *Progress in allergy*, **5**, 1-77.

(117) PAKULA (R.) et WALEZAK (W.) (1955). — An erythrocyte-sensiting factor. *Acta Microb. Polon.*, **4**, 235-249.

(118) PARK (J.) et JOHNSON (1949). — A submicrodetermination of glucose. *J. Biol. Chem.*, **181**, 149-157.

(119) PARLEBAS (J.). — Étude chimique et immunologique d'une nouvelle glycoprotéine de la cornée. *Thèse Fac. Sc.*, Paris 1969.

(120) PARLEBAS (J.). — Étude comparative des glycoprotéines dans différents tissus d'origine conjonctive, *II[e] thèse Fac. Sc.*, Paris, 1969.

(121) PARLEBAS (J.), GOLDSTEIN (I.) et HALPERN (N.) (1971). — Mise en évidence dans le cytoplasme du streptocoque A, d'une glycoprotéine qui présente des réactions immunologiques croisées avec les glycoprotéines des valvules de bœuf. (En préparation.)

(122) PARLEBAS (J.), GOLDSTEIN (I.) et HALPERN (B.) (1971). — Préparation des immunosérums qui présentent des réactions croisées glycoprotéines-polysaccharides streptococciques A. (Sous presse.)

(123) PARTRIDGE (S.) (1948). — Filter paper partition chromatography of sugars. *Biochem. J.*, **42**, 238-241.

(124) PERKINS (H.) (1963). — Chemical Structure and Biosynthesis of Bacterial Cell-Walls. *Bacter. Rev.*, **27**, 18-55.

(126) PERLMANN (P.), HAMMARSTROM, LAGERCRANTZ (R.) et GUSTAFSONN (B.) (1965). — Antigen from colon of germfree rats and antibodies in human ulcerative colitis. *Ann. N. Y. Acad. Sc.*, **124**, 377-386.

(127) POLICARD (A.) et COLLET (A.) (1961). — Physiologie du tissu conjonctif normal et pathologique. *Masson et C[ie]*, éd., Paris.

(128) RADHAKRISHNAMURTHY (B.), FISKIN (A.), HUBBEL (G.) et BERENSON (G.) (1964). — Further studies of glycoproteins from a cardiovascular connective tissue. *Arch. Biochem. Biophys.*, **104**, 19-26.

(129) RAMACHANDRAN (G.) et GOULD (B.) (1907). — In : Treatise on Collagen, p. 216. 1 vol., Ed. *Academic Press.*, New York.

(130) RANDALL (J.) (1953). — Nature and structure of collagen. 1 vol., Ed. *Academic Press*, New York.

(131) RANDERARTH (K.) (1964). — Chromatographie sur couche mince. 1 vol., Ed. *Gauthier-Villars*, Paris.

(132) RAPAPORT (F.) et CHASE (R.) (1965). — The bacterial action of homograft sensitivity. II. Effects of Sensitization with *Staphylococci* and other micro-organisms. *J. Exp. Med.*, **122**, 733-744.

(133) RAPAPORT (F.), CHASE (R.) et SOLOWEY (A.) (1966). — Transplantation antigen activity of Bacterial Cells in different animal Species and intracellular localization. *Ann. N. Y. Acad. Sc.*, **129**, 102-114.

(134) RAPAPORT (F.), MARKOWITZ (A.) et Mc CLUSKEY (R.) (1969). — The bacterial induction of homograft sensitivity. III. Effects of Group A streptococcal Membrane Antisera. *J. Exp. Med.*, **129**, 623-645.

(135) RAPAPORT (F.) et CHASE (R.) (1968). — Immunosuppressant from Group A *Streptococci*. *Science*, **159**, 880-883.

(136) REBEYROTTE (P.), PARLEBAS (J.), GOLDSTEIN (I.) (1972). — Isolement des glycoprotéines solubles à partir des valvules cardiaques de bœuf. (En préparation.)

(137) RHADUI (I.) (1967). — Organisation and ultrastructure of connective tissue. In the Connective tissue, p. 1-17. Ed. Wagner B. M. et Smith D. E., 1 vol. *Williams and Wilkins c°*, Baltimore, 1967.

(138) ROBERT (L.), PARLEBAS (J.), ROBERT (B.) (1963). — Étude immunochimique d'une glycoprotéine de la cornée, la kératoglycosaminoglycane. *C. R. Acad. Sc.*, **256**, 323-327.

(139) ROBERT (L.), PARLEBAS (J.), POULLAIN (N.) et ROBERT (B.) (1963). — Données nouvelles sur l'immunochimie des protéines fibreuses du tissu conjonctif. In : Protides of the biological fluids. **2**, 109-116. Ed. by H. Peeters, *Elsevier*, Amsterdam.

(140) ROBERT (B.), PARLEBAS (J.) et ROBERT (L.) (1963). — Étude immunochimique d'une glycoprotéine de la cornée, la kératoglycosaminoglycane. *C. R. Acad. Sc.*, **256**, 232-236.

(141) ROBERT (L.) et DISCHEZ (1963). — Analysis of a sulfated sialofucoglucosaminogalactomannosidoglycan from corneal stroma. *Biochem. Biophys. Res. Com.*, **10**, 209-214.

(142) ROBINSON (J.) et BRIDGEN (W.) (1963). — Immunological studies of the post cardiatomy syndrom. *Brit. Med. J.*, **2**, 756.

(143) ROSS (M.) (1962). — Some aspects of collagen fibrilogenesis. In : Electron Microscope, p. 1-13. 1 vol., Ed. *Academic Press*, New York.

144) ROTSTEIN (J.), GORDON (M.) et SCHUBERT (M.) (1962). — The neutral carbohydrate of bovine nasal cartilage. *Biochem. J.*, **85**, 614-619.

(144) *bis* Rowe (P.) (1967). — Virus Specific antigens in viral tumors in Cross Reacting antigens and Neoantigens. 1 vol., Ed. J. Treintin. *Williams and Wilkins C°*, Baltimore.
(145) Rowley (D.) et Jenkin (C.) (1962). — Antigenic cross-reaction between host and parasites as a possible cause of pathogenicity. *Nature*, London, **193**, 151-155.
(146) Rude (E.), Westphal (O.), Hurwitz (E.), Fuchs (S.) et Sela (M.) (1966). — Synthesis and antigenic properties of suger-polypeptide conjugates. *Immunochem.* **3**, 137-151.
(147) Salton (M.) et Horne (R.) (1951). — Studies of the bacterial cell wall. I. Electron microscopical observations on heated bacteria. *Bioch. and Biophys. Acta*, **7**, 19-42.
(148) Salton (J.) (1961). — Microbiol cell-wall. 1 vol. *John Wiley C° Inc. Pub.*, N. Y., 1961.
(149) Schmidt (W.) (1965). — The Lysis of Cell-Walls of Group A streptococci by *Streptomyces albus* enzyme treated with Diisopropyl fluorophosphate Characteristics of the Lytic Reaction and the Soluble Cell-Wall fragments. *J. Exp. Med.*, **121**, 771-792.
(150) Schultze (H.) (1963). — Ueber die Chemie des Haptoglobins. *Clin. Chem. Acta.*, **8**, 207-214.
(151) Schwab (J.) and Brown (R.) (1968). — Modification of antigenic structure in-vivo : quantitative studies on the processing of streptococcal cell-wall antigens in mice. *J. of Immunol.*, **101**, 930-938.
(152) Scott (J.) (1968). — Ion binding in solution containing Acid Mucopolysaccharide. In : The Chemical physiology of mucopolysaccharides, p. 171-188. 1 vol., Ed. by G. Quintorelli. *J. A. Churchill*, Londres.
(153) Scott (J.) (1968). — Pattern of specificity in the interaction of organic cations with mucopolysaccharides. In : The chemical physiology of mucopolysaccharides, 219-232. 1 vol., Ed. par Quintorelli. *J. A. Churchill*, Londres.
(154) Singer (S.) (1959). — Preparation of an electron-dense antibody conjugate. *Nature*, London, **183**, 1523-1525.
(154 *bis*) Spackman (D.), Stein (W.) et Moore (S.) (1958). — Automatic recording apparatus for use in the chromatography of aminoacids. *Ann. Chem.*, **30**, 1190-1215.
(155) Spiro (R.) (1963). — Glycoproteins : structure, metabolisms and biology. *New Engl. J. Med.*, **269**, 616-621.
(156) Spiro (G.) (1970). — Glycoproteins. *Ann. Rev. of Biochem.*, **39**, 599-639.
(156 *bis*) Springer (G.), Williamson (P.) et Brands (W.) (1961). — Blood group activity of gram negative bacteria. *J. Exp. Med.*, **113**, 1077.
(157) Staub (A.) (1965). — Bases chimiques de la spécificité des polyosides bactériens et des groupes sanguins. *Bull. Inst. Pasteur*, **66**, 1111-1147.
(158) Stange (R.) et Kent (L.) (1959). — The isolation, characterization and chemical synthesis of Muramic acid. *Biochem. J.*, **71**, 333-339.
(159) Svennerholm (1957). — Quantitatic estimation of sialic acids. A colorimetric resorcinol — hydrochloric acid method. *Biochem. Biophys. Acta.*, **24**, 604-611.
(160) Tinelli (R.) (1968). — Le glycopeptide des parois bactériennes. *Bull. Inst. Pasteur*, **66**, 2507-2538.
(161) Underwood (A.) et Rockland (1954). — Small-Scale filter paper chromatography. *Annal. Chem.*, **26**, 1553-1559.
(162) Van der Geld (H.) (1964). — Auto-heart antibodies in the post cardiotomy syndrom. *Lancet*, **2**, 617-622.
(163) Vogel (W.), Heymer (B.), Smith (T.) et Haferkamp (O.) (1969). — Uber die Beeinflusune homologer Hauttransplantate beim Meerscheweinchen durch eine experimentall erzeugtg Uberempfidlichkeit gegen Streptokokken. *Z. Ges. Exp. Med.*, **149**, 306-315.
(164) Voisin (G.) (1969). — Mécanismes communs aux atteintes autoimmunitaires et au rejet des homogreffes. *Path. Biol.*, **17**, 509-520.
(165) Vorlaender (K.) (1952). — Weiter Untersuchungen für frage der klinescher bedentung von Autoantikor beim Rheumatismus. *Zeitsch. für Ges. Exp. Med.*, **120**, -922.
(166) Waksman (B.) (1962). — Autoimmunisation and the lesions of autoimmunity. *Medicine*, Baltimore, **41**, 93-106.
(167) Wagner (B.) et Smith (D.) (1967). — The connective tissue (monograph). 1 vol. *Williams and Wilkins et Cie*, Baltimore.
(168) Wahl (R.) et Drach (G.) (1961). — Modifications de la réactivité du lapin (allergie) déterminées par les inoculations souscutanées de *Streptococcus pyogenes* (groupe A). *Ann. Inst. Pasteur*, **101**, 145-169.
(169) Whistler (R.) et Wolfrom (M.) (1962). — Methods in carbohydrate chemistry, p. 130-139. 1 vol. *Acad. Press.*, New York, 1962.
(170) Wilson (A.) et Wiley (G.) (1963). — The cellular antigens of Group A streptococci Immunoelectrophoretic studies. *J. Exp. Med.*, **118**, 527-556.
(171) Winzler (R.) (1968). — In : Handbook of Biochemistry selected data for Molecular Biology, p. 40-46. Ed. Solier. 1 vol. The Chem. Pub. C°, Cleveland.
(172) Zabriskie (J.) et Freimer (E.) (1966). — An immunological relationship between the Group A *Streptococcus* and mamalian muscle. *J. Exp. Med.*, **124**, 661-675.
(173) Zabriskie (J.) (1969). — The relationship of Streptococcal cross-reactive Antigen to rheumatic fever. *Transplantation Proceed*, **4**, 163-166.
(174) Zabriskie (J.), Hsu (K.) et Seegal (B.) (1970). — Heart-reactive antibody associated with rheumatic fever. *Clin. and Exp. Immunol.*, **7**, 147-160.

